

BALL
OFFICIAL  **STANDARD**
Since 1891
Accuracy under adverse conditions

CORE RANGE 2019 / 2020
MASTER CATALOGUE

TO BE YOURSELF

Contents

Models, technical features, pictures and prices are subject to further modifications without notice.

Engineer Hydrocarbon	3	Marvelight Bronze Star	49
AeroGMT II	3	Pioneer	51
AeroGMT II Limited Edition	6	StarLIGHT (40mm)	53
Moon Navigator	8	Engineer M	55
NEDU	10	Marvelight (40mm)	55
Racer Chronograph	12	Marvelight (43mm)	58
Submarine Warfare	15	Trainmaster	61
Submarine Warfare Ceramic	18	Cannonball	61
Submarine Warfare Chronograph	20	Eternity	64
Submarine Warfare Ceramic Chronograph	22	Eternity Ladies	67
Engineer Master II	24	Legend	69
Aviator	24	Manufacture 80 Hours	71
Diver	28	Moon Phase	73
Skindiver Heritage	30	Moon Phase Ladies	76
Skindiver II	32	Roman	78
Engineer II	34	Standard Time	80
Green Berets	34	Standard Time 135 Anniversary	82
Moon Phase	36	Fireman	84
Engineer III	39	Enterprise	84
Bronze	39	NightBreaker	86
CarboLIGHT (43mm)	41	Racer	88
Legend (31mm)	43	Victory	90
Legend (43mm)	45	Victory Ladies	95
Marvelight	47		

Engineer Hydrocarbon AeroGMT II

Movement	Automatic caliber BALL RR1201-C Chronometer certified COSC
Functions	43 micro gas tubes on hour, minute, second time zone hands, dial and bezel for night reading capability Luminous second time zone indication Shock resistant to 7,500Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 42mm, height 13.85mm Bidirectional rotating curved sapphire bezel with micro gas tubes for night reading capability Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black or blue



Engineer Hydrocarbon AeroGMT II



DG2018C-SC-BK



DG2018C-SC-BE



DG2018C-PC-BK



DG2018C-PC-BE



Engineer Hydrocarbon AeroGMT II



DG2018C-S3C-BK



DG2018C-S3C-BE



DG2018C-P3C-BK



DG2018C-P3C-BE



Engineer Hydrocarbon AeroGMT II Limited Edition

Limited Edition	1,000 pieces
Movement	Automatic caliber BALL RR1201-C Chronometer certified COSC
Functions	43 or 44 micro gas tubes on hour, minute, second, second time zone hands, dial and bezel for night reading capability Luminous second time zone indication Shock resistant to 7,500Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 42mm, height 13.85mm Blue or Black & Blue bidirectional rotating curved sapphire bezel with micro gas tubes for night reading capability Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black



Engineer Hydrocarbon AeroGMT II Limited Edition



DG2018C-S4C-BK



DG2018C-S5C-BK



DG2018C-P4C-BK



DG2018C-P5C-BK



Engineer Hydrocarbon Moon Navigator

Movement	Automatic caliber BALL RR1801
Functions	36 micro gas tubes on hour and minute hands, dial and moon phase for night reading capability Luminous moon phase indication Luminous high & low tide indication over a two-week period Shock resistant to 7,500Gs Anti-magnetic to 4,800A/m Water resistant to 120m/400ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 42mm, height 13.85mm Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered stainless steel bracelet with patented folding buckle & extension system
Dial	Black or blue



Engineer Hydrocarbon Moon Navigator



DM3320C-SAJ-BK



DM3320C-SAJ-BE



Engineer Hydrocarbon NEDU

Movement	Automatic caliber BALL RR1402-C Chronometer certified COSC
Functions	21 micro gas tubes on hour, minute, second hands, dial and pushers for night reading capability Underwater operable chronograph with accumulated measurement up to 12 hours Helium System Patented Shock resistant to 7,500Gs Anti-magnetic to 4,800A/m Water resistant to 600m/2,000ft Hours, minutes, subsidiary seconds, day and date
Case	Titanium Ø 42mm, height 17.3mm Top ceramic luminous unidirectional rotating bezel 3.7mm anti-reflective sapphire crystal Patented crown protection system
Band	Tapered titanium and stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black or blue





DC3026A-SC-BK



7 520100 001910



DC3026A-SC-BE



7 520100 001934



DC3026A-PC-BK



7 520100 001941



DC3026A-PC-BE



7 520100 001965

Engineer Hydrocarbon Racer Chronograph

Movement	Automatic caliber BALL RR1401-C Chronometer certified COSC
Functions	15 micro gas tubes on hour and minute hands and dial for night reading capability Chronograph with accumulated measurement up to 45 minutes Tachymeter Shock resistant to 7,500Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, subsidiary seconds and date
Case	Stainless steel case with stainless steel or ceramic bezel Ø 42mm, height 15.2mm Mu-metal shield Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered stainless steel bracelet with patented folding buckle & extension system
Dial	Black, blue or silver



Engineer Hydrocarbon Racer Chronograph



CM2198C-S1CJ-BK



CM2198C-S1CJ-BE



CM2198C-S1CJ-SL



Engineer Hydrocarbon Racer Chronograph



CM2198C-S2CJ-BK



CM2198C-S2CJ-BE



CM2198C-S2CJ-SL



Engineer Hydrocarbon Submarine Warfare

Movement	Automatic caliber BALL RR1102-C Chronometer certified COSC
Functions	16 micro gas tubes on hour, minute and second hands, dial and bezel for night reading capability Shock resistant to 7,500Gs Anti-magnetic to 80,000A/m Water resistant to 300m/1000ft Hours, minutes, sweep seconds, day and date
Case	Titanium Ø 42mm, height 16.5mm Mu-metal shield Unidirectional rotating bezel in stainless steel or stainless steel with blue PVD coated with Super LumiNova luminous paint Amortiser® patented anti-shock system Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered titanium and stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black or blue



Engineer Hydrocarbon Submarine Warfare



DM2276A-S2CJ-BK



DM2276A-S2CJ-BE



DM2276A-S3CJ-BE



Engineer Hydrocarbon Submarine Warfare



DM2276A-P2CJ-BK



DM2276A-P2CJ-BE



DM2276A-P3CJ-BE



Engineer Hydrocarbon Submarine Warfare Ceramic

Movement	Automatic caliber BALL RR1102-C Chronometer certified COSC
Functions	15 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 7,500Gs Anti-magnetic to 80,000A/m Water resistant to 300m/1000ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 42mm, height 16.5mm Mu-metal shield Luminous ceramic unidirectional rotating bezel Amortiser® patented anti-shock system Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black



Engineer Hydrocarbon Submarine Warfare Ceramic



DM2236A-SCJ-BK



DM2236A-PCJ-BK



Engineer Hydrocarbon Submarine Warfare Chronograph

Movement	Automatic caliber BALL RR1402
Functions	23 micro gas tubes on hour, minute and second hands, dial and bezel for night reading capability Chronograph with accumulated measurement up to 12 hours Shock resistant to 7,500Gs Anti-magnetic to 4,800A/m Water resistant to 300m/1000ft Hours, minutes, subsidiary seconds, day and date
Case	Titanium case with stainless steel bezel Ø 42mm, height 17.9mm Unidirectional rotating bezel Amortiser® patented anti-shock system Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered titanium and stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black



Engineer Hydrocarbon Submarine Warfare Chronograph



DC2276A-SJ-BK



DC2276A-PJ-BK



Engineer Hydrocarbon Submarine Warfare Ceramic Chronograph

Movement	Automatic caliber BALL RR1402
Functions	22 micro gas tubes on hour, minute and second hands and dial for night reading capability Chronograph with accumulated measurement up to 12 hours Shock resistant to 7,500Gs Anti-magnetic to 4,800A/m Water resistant to 300m/1000ft Hours, minutes, subsidiary seconds, day and date
Case	Stainless steel Ø 42mm, height 17.9mm Luminous ceramic unidirectional rotating bezel Amortiser® patented anti-shock system Anti-reflective sapphire crystal Patented crown protection system
Band	Tapered stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
Dial	Black



Engineer Hydrocarbon Submarine Warfare Ceramic Chronograph



DC2236A-SJ-BK



DC2236A-PJ-BK



Engineer Master II Aviator

Movement	Automatic caliber BALL RR1102
Functions	15 double-sized micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 46mm, height 13.3mm Mu-metal shield Anti-reflective convex sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or calf leather strap with standard buckle
Dial	Black



Engineer Master II Aviator



NM1080C-S13-BK



NM1080C-L13-BK



Engineer Master II Aviator

Movement	Automatic caliber BALL RR1102
Functions	66 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 46mm, height 11.55mm Mu-metal shield Anti-reflective convex sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or calf leather or rubber strap with standard buckle
Dial	Black



Engineer Master II Aviator



NM1080C-S14A-BK



NM1080C-L14A-BK



NM1080C-P14A-BK



Engineer Master II Diver

Movement	Automatic caliber BALL RR1102
Functions	52 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 300m/1,000ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 42mm, height 14.55mm Luminous unidirectional rotating outer & inner bezel Anti-reflective convex sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or rubber strap with standard buckle
Dial	Black



Engineer Master II Diver



DM3020A-SAJ-BK



DM3020A-PAJ-BK



Engineer Master II Skindiver Heritage

Movement	Automatic caliber BALL RR1102-C Chronometer certified COSC
Functions	15 micro gas tubes on hour, minute, second hands, and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 300m/1,000ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 42mm, height 15.2mm Luminous ceramic unidirectional rotating bezel Mu-metal shield Anti-reflective sapphire crystal Screwed-in crown
Band	Rubber strap with standard buckle
Dial	Black



Engineer Master II Skindiver Heritage



DM3308A-SC-BK



DM3308A-PC-BK



Engineer Master II Skindiver II

Movement	Automatic caliber BALL RR1103-C Chronometer certified COSC
Functions	15 double-sized micro gas tubes on hour, minute, second hands and dial for night reading capability Automatic helium release valve Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 500m/1,650ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 43mm, height 14mm Top ceramic luminous unidirectional rotating bezel Anti-reflective convex sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle and rubber strap with standard buckle in a special box set
Dial	Black



Engineer Master II Skindiver II



DM3108A-SCJ-BK



Rubber strap included

Engineer II Green Berets

Movement	Automatic caliber BALL RR1103-C Chronometer certified COSC
Functions	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	Titanium Carbide Ø 43mm, height 12.35mm Anti-reflective sapphire crystal Screwed-in crown
Band	Nubuck leather strap with standard buckle
Dial	Black



Engineer II Green Berets



NM2028C-L4CJ-BK



Engineer II Moon Phase

Movement	Automatic caliber BALL RR1801
Functions	28 micro gas tubes on hour, minute, second hands and dial for night reading capability Luminous moon phase indication Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 41mm, height 14mm Amortiser® patented anti-shock system Anti-reflective convex sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard buckle
Dial	Black, blue or grey



Engineer II Moon Phase



NM2282C-SJ-BK



NM2282C-SJ-BE



NM2282C-SJ-GY



Engineer II Moon Phase



NM2282C-LLJ-BK



NM2282C-LLJ-BE



NM2282C-LLJ-GY



Engineer III Bronze

Movement	Automatic caliber BALL RR1102-SL SpringLOCK® patented hairspring anti-shock system
Functions	50 micro gas tubes on hour and minute hands and dial's Arabic numbers for night reading capability Super LumiNova luminous paint on second hand and dial's indexes Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
Case	Bronze Ø 43mm, height 13.45mm Mu-metal shield Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
Band	Calf leather strap with stainless steel standard buckle
Dial	Black



Engineer III Bronze



NM2186C-L3J-BK



Engineer III CarboLIGHT (43mm)

Limited Edition	1,000 pieces
Movement	Automatic caliber BALL RR1103-C Chronometer certified COSC
Functions	15 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Patented Mumetal & Carbide composite Ø 43mm, height 13mm Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
Band	Rubber strap with pin buckle
Dial	Black or blue



Engineer III CarboLIGHT (43mm)



NM3028C-P1CJ-BK



NM3028C-P1CJ-BE



Engineer III Legend (31mm)

Limited Edition	1,000 pieces
Movement	Automatic caliber BALL RR1104
Functions	28 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	Stainless steel Ø 31mm, height 10.7mm Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle
Dial	Black, blue or silver



Engineer III Legend (31mm)



NL1026C-S4A-BKGR



NL1026C-S4A-BEYE



NL1026C-S4A-SLGR



Engineer III Legend (43mm)

Limited Edition	1,000 pieces
Movement	Automatic caliber BALL RR1102
Functions	28 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 43mm, height 13.55mm Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle
Dial	Black, blue or silver



Engineer III Legend (43mm)



NM2028C-S14A-BKGR



NM2028C-S14A-BEYE



NM2028C-S14A-SLGR



Engineer III Marvelight

Movement	Automatic caliber BALL RR1103
Functions	13 micro gas tubes on hour and minute hands and dial or 14 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	Stainless steel Ø 40mm, height 13.15mm Mu-metal shield Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle
Dial	Black, blue, grey or white



Engineer III Marvelight



NM2026C-S10J-BK



NM2026C-S10J-BE



NM2026C-S10J-GY



NM2026C-S16J-WH



Engineer III Marvelight Bronze Star

Movement	Automatic caliber BALL RR1102-SL SpringLOCK® patented hairspring anti-shock system
Functions	15 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
Case	Bronze Ø 43mm, height 13.45mm Mu-metal shield Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
Band	Calf leather strap with bronze standard buckle
Dial	Black, blue or green



Engineer III Marvelight Bronze Star



NM2186C-L4J-BK



NM2186C-L4J-BE



NM2186C-L4J-GR



Engineer III Pioneer

Movement	Automatic BALL caliber RR1103-C Chronometer certified COSC
Functions	28 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	904L stainless steel Ø 40mm, height 12.45mm Mu-metal shield Anti-reflective sapphire crystal Screwed-in crown
Band	904L stainless steel bracelet with folding buckle
Dial	Black or blue



Engineer III Pioneer



NM2026C-S15CJ-BK



NM2026C-S15CJ-BE



Engineer III StarLIGHT (40mm)

Limited Edition	1,000 pieces
Movement	Automatic caliber BALL RR1102
Functions	48 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 40mm, height 13.45mm Mu-metal shield Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or rubber strap with standard buckle
Dial	Black or blue



Engineer III StarLIGHT (40mm)



NM2182C-S9-BK1



NM2182C-S9-BE1



NM2182C-P9-BK1



NM2182C-P9-BE1



Engineer M Marvelight (40mm)

Movement	Automatic manufacture caliber BALL RRM7309-C Chronometer certified COSC 80 hours power reserve
Functions	17 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 40mm, height 13.05mm Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or calf leather strap with standard buckle
Dial	Black, blue or grey



Engineer M Marvelight (40mm)



NM2032C-S1C-BK



NM2032C-S1C-BE



NM2032C-S1C-GY



Engineer M Marvelight (40mm)



NM2032C-L1C-BK



NM2032C-L1C-BE



NM2032C-L1C-GY



Engineer M Marvelight (43mm)

Movement	Automatic manufacture caliber BALL RRM7309-C Chronometer certified COSC 80 hours power reserve
Functions	15 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 43mm, height 12.85mm Amortiser® patented anti-shock system Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or calf leather strap with standard buckle
Dial	Black, blue or grey



Engineer M Marvelight (43mm)



NM2128C-S1C-BK



NM2128C-S1C-BE



NM2128C-S1C-GY



Engineer M Marvelight (43mm)



NM2128C-L1C-BK



NM2128C-L1C-BE



NM2128C-L1C-GY



Trainmaster Cannonball

Movement	Automatic caliber BALL RR1401-SL SpringLOCK® patented hairspring anti-shock system
Functions	14 micro gas tubes on hour and minute hands and dial for night reading capability Chronograph with accumulated measurement up to 45 minutes Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, subsidiary seconds and date
Case	Stainless steel Ø 43mm, height 14.8mm Anti-reflective convex sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard or folding buckle
Dial	Black, grey or white



Trainmaster Cannonball



CM1052D-S3J-BK



CM1052D-S2J-GY



CM1052D-S3J-WH



Trainmaster Cannonball



CM1052D-L3J-BK



CM1052D-L2J-GY



CM1052D-L3J-WH



Trainmaster Eternity

Movement	Automatic caliber BALL RR1102
Functions	14 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 30m/100ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 39.5mm, height 11.8mm Anti-reflective convex sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard or folding buckle
Dial	Black, blue or silver



Trainmaster Eternity



NM2080D-LJ-BK



NM2080D-LJ-BE



NM2080D-LJ-SL



Trainmaster Eternity



NM2080D-SJ-BK



NM2080D-SJ-BE



NM2080D-SJ-SL



Trainmaster Eternity Ladies

Movement	Automatic caliber BALL RR110
Functions	14 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 30m/100ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 30.2mm, height 10.35mm Anti-reflective convex sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard buckle
Dial	Black or silver



Trainmaster Eternity Ladies



NL2080D-LJ-BK



NL2080D-LJ-SL



NL2080D-SJ-BK



NL2080D-SJ-SL



Trainmaster Legend

Movement	Automatic caliber BALL RR1103
Functions	6 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 30m/100ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 40mm, height 11.45mm Anti-reflective convex sapphire crystal Sapphire crystal case back
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard or folding buckle
Dial	Black or silver



Trainmaster Legend



NM3080D-LJ-BK



NM3080D-LJ-SL



NM3080D-SJ-BK



NM3080D-SJ-SL



Trainmaster Manufacture 80 Hours

Movement	Automatic manufacture caliber BALL RRM7309-C Chronometer certified COSC 80 hours power reserve
Functions	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 50m/160ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 40mm, height 12.25mm Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle
Dial	Black, blue or silver



Trainmaster Manufacture 80 Hours



NM3280D-S1CJ-BK



NM3280D-S1CJ-BE



NM3280D-S1CJ-SL



Trainmaster Moon Phase

Movement	Automatic caliber BALL RR1801
Functions	27 micro gas tubes on hour and minute hands and dial for night reading capability Luminous moon phase indication Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 40mm, height 14.55mm Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard or folding buckle
Dial	Black, blue or silver



Trainmaster Moon Phase



NM3082D-SJ-BK



NM3082D-SJ-BE



NM3082D-SJ-SL



Trainmaster Moon Phase



NM3082D-LLJ-BK



NM3082D-LLJ-BE



NM3082D-LLJ-SL



Trainmaster Moon Phase Ladies

Movement	Automatic caliber BALL RR1801
Functions	26 micro gas tubes on hour and minute hands and dial for night reading capability Luminous moon phase indication Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 34mm, height 12.05mm Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard buckle
Dial	Blue or white



Trainmaster Moon Phase Ladies



NL3082D-SJ-BE



NL3082D-SJ-WH



NL3082D-LLJ-BE



NL3082D-LLJ-WH



Trainmaster Roman

Movement	Automatic caliber BALL RR1102
Functions	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, sweep seconds, day and date
Case	Stainless steel Ø 41mm, height 12.55mm Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard or folding buckle
Dial	Grey or white



Trainmaster Roman



NM1058D-S4J-GY



NM1058D-S4J-WH



NM1058D-L4J-GY



NM1058D-L4J-WH



Trainmaster Standard Time

Movement	Automatic caliber BALL RR1105-C Chronometer certified COSC
Functions	14 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 4,800A/m Water resistant to 30m/100ft Hours, minutes, subsidiary seconds and date
Case	Stainless steel Ø 39.5mm, height 11.15mm Anti-reflective convex sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard buckle
Dial	White enamel



Trainmaster Standard Time



NM3888D-S1CJ-WH



NM3888D-LL1CJ-WH



Trainmaster Standard Time 135 Anniversary

Limited Edition	1,000 pieces
Movement	Automatic caliber BALL RR1101
Functions	15 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 40mm, height 10.3mm Anti-reflective convex sapphire crystal Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or crocodile leather strap with standard buckle
Dial	White enamel



Trainmaster Standard Time 135 Anniversary



NM3288D-SJ-WH



NM3288D-LLJ-WH



Fireman Enterprise

Movement	Automatic caliber BALL RR1103
Functions	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	Stainless steel Ø 40mm, height 11.3mm Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle
Dial	Black or white





NM2188C-S5J-BK



NM2188C-S5J-WH



Fireman NightBreaker

Movement	Automatic caliber BALL RR1103
Functions	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	Stainless steel Ø 40mm, height 11.3mm Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or rubber strap with standard buckle
Dial	Blue



Fireman NightBreaker



NM2188C-S12-BE1



NM2188C-P12-BE1



Fireman Racer

Movement	Automatic caliber BALL RR1103
Functions	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
Case	Stainless steel Ø 40mm, height 11.4mm Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or rubber strap with standard buckle
Dial	Black with red index or white with blue index



Fireman Racer



NM2088C-P2J-BKRD



NM2088C-P2J-WHBE



NM2088C-S2J-BKRD



NM2088C-S2J-WHBE



Fireman Victory

Movement	Automatic caliber BALL RR1103
Functions	14 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 40mm, height 11.6mm Sapphire crystal case back Screwed-in crown
Band	Stainless steel bracelet with folding buckle or rubber strap with standard buckle or calf leather strap with standard buckle
Dial	Black, blue, grey or silver



Fireman Victory



NM2098C-S3J-BK



NM2098C-S3J-BE



NM2098C-S3J-SL



Fireman Victory



NM2098C-P3J-BK



NM2098C-P3J-BE



NM2098C-P3J-SL



Fireman Victory



NM2098C-S4J-BK



NM2098C-S4J-BE



NM2098C-S4J-GY



Fireman Victory



NM2098C-L4J-BK



NM2098C-L4J-BE



NM2098C-L4J-GY



Fireman Victory Ladies

Movement	Automatic caliber BALL RR1104
Functions	14 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, sweep seconds and date
Case	Stainless steel Ø 31mm, height 10.4mm Anti-reflective sapphire crystal Screwed-in crown
Band	Stainless steel bracelet with folding buckle or calf leather strap with standard buckle
Dial	Black or silver



Fireman Victory Ladies



NL2098C-S3J-BK



NL2098C-S3J-SL



NL2098C-L3J-BK



NL2098C-L3J-SL



Be on the BALL!

Rich in the past, strong in diversity and pioneer in the field since 1891, our company is the key player in terms of design, know-how, quality and accuracy in the Swiss watch industry.

Today, more than ever, BALL Watch Company is continuing its journey and asserting its role as a key protagonist in the evolution of watchmaking history.

THE ADVENTURE CONTINUES...

TO BE YOURSELF

www.ballwatch.com